LITHEAUDIO

DISCREET AUDIO SOLUTIONS



www.litheaudio.com I sales@litheaudio.com I Tel : +44 (0) 1293 922 015

LITHEAUDI

DISCREET AUDIO SOLUTIONS

A PASSION FOR INNOVATION

This year we have released our new Wireless Micro Sub, the flagship range of Pro Series Ceiling Speakers and our Low Profile Passive Ceiling Speakers, along with some updates to existing products.

At Lithe Audio we believe innovation never sleeps, and our designers are always seeking ways to make improvements around your home.

Putting the needs of the customer before what current technology allows has put us at the forefront of innovating technology. Releasing an exciting array of products guaranteed to make your lifestyle simpler and more hassle-free.

MULTI-AWARD WINNING








LITHEAUDIO

THE LITHE ALL-IN-ONE SYSTEM EXPLAINED

Until now it hasn't been easy to retrofit ceiling speakers without connecting to a separate amplifier or running cables through your walls. Lithe Audio has a wireless range of ceiling speakers that are completely different from anything else currently available in this sector. The innovative speakers are a fully integrated all-in-one solution





HIGH QUALITY 3 AUDIO

WHY CHOOSE LITHE AUDIO?

QUICK TO INSTALL

The all-in-one speakers draw power from your existing ceiling mains circuit or via a mains plug.

CONTROL FROM YOUR PHONE

All the speakers are controlled via your phone, making music more accessible than ever.

A SPEAKER FOR EVERY ROOM

We've got suitable speakers for any room, whether you want TV audio, music in the kitchen or even the bathroom or garden.

HIGH QUALITY AUDIO

Deliver superb sound quality with pin sharp quality using our woven glass fibre woofer cones and titanium tweeter.

LITHEAUDIC

WHAT'S THE RIGHT SPEAKER FOR YOU?

CHOOSE YOUR SYSTEM

EACH ONE OF OUR PRODUCTS COMES WITH THEIR OWN FEATURES AND BENEFITS FOR EACH SITUATION.

TYPE

ZONES

BLUETOOTH

WORKS WITH ALEXA

WORKS WITH OK GOOGLE

WI-FI 5GHZ & 2.4GHZ

AIRPLAY 2 APPLE IOS USERS

CHROME CAST ANDROID USERS

SPOTIFY CONNECT CONTROL FROM SPOTIFY APP

DNLA /UPNP PLAY MUSIC FROM YOUR PHONE OR NAS DRIVE

CONTROL 4 DRIVERS AVAILABLE

FIBARO DRIVERS AVAILABLE

WISA FOR WIRELESS HOME CINEMA

POE ++ POWER OVER ETHERNET


ETHERNET FOR HARDWIRE CONNECTION


POWER RATING

ADDITIONAL INPUTS




SINGLE ZONE
\checkmark
—
—
—
—
—
—
—
—
<u> </u>
_
50W RMS (2 X 25W)
RCA







PERFORMANCE. CONNECTIVITY.







LITHE PRO SERIES WIFI CEILING SPEAKER

HIGH RESOLUTION AUDIO.

Designed explicitly to be top of the Lithe Audio integrated speaker range. This in-ceiling active offering delivers leading features such as WiSA integration for Dolby Atmos systems, PoE power delivery for the convenience of easy installation and control. Available with a comprehensive set of wireless & wired connectivity options.










ULTIMATE CONNECTIVITY.



CUTTING EDGE PERFORMANCE.

WIRELESS & WIRED

Works in dual band 5GHz and 2.4GHz Wi-Fi spectrum or can be hardwired via ethernet cable for a hardwired data connection

CRYSTAL CLEAR AUDIO

Powerful 60W RMS Class D Amplifier has been tuned to speaker cone and tweeter for use in-ceiling.

HIGH-RESOLUTION AUDIO

192kHz / 24 bits delivers superb sound quality with pin sharp clarity

APP-BASED DSP

Calibrate and adjust the Treble, Mid and Bass individually, all from your phone.

VOICE CONTROL

Works with : Wirelessly via Alexa or Google home or Siri

BOLT-ONS

With optional WiSA and PoE bolt-ons as well as firmware and app updates this ceiling speaker has been designed with longevity in mind.



AWARD WINNING

Our Pro Series Ceiling Speakers won the Best New Hardware category in the CEDIA EMEA Awards 2020.

PRO

WIRELESS CINEMA SOUND FOR YOUR HOME

With the Pro Series of ceiling speakers, you can create wireless Dolby 5.1, Dolby 7.1 and even Dolby Atmos when combined with our SoundSend and WiSA Bolt-On.

WiSA (Wireless Speaker and Audio) Association is the global interoperability standard across the audio industry for high definition, multi-channel, low latency audio.

(OPTIONAL BOLT-ON)



WISA CERTIFIED WIRELESS AUDIO TRANSMITTER

Stream high-resolution audio to our wireless ceiling speakers

ADD ANY WISA CERTIFIED SPEAKER Seamlessly cross compatible with other

approved WiSA speakers

TRANSMITS 8 CHANNELS

Eight channels of uncompressed 24-bit 48/96 kHz sound

DECODES DOLBY DIGITAL, DOLBY DIGITAL +, DOLBY ATMOS

Automatically recognizes audio configurations from 2.0 to 7.1 to 5.1.2

CONNECTS TO TV VIA HDMI Connect to a TV without WiSA to easily

upgrade it to home cinema

RECEIVES AUDIO VIA ARC OVER HDMI

Supports HDMI 2.1 and 2.0, making it compatible with eARC as well as regular ARC HDMI ports







IN QUALITY

SCALABLE & SEAMLESS

Automatically recognises audio configurations from 2.0 to 7.1 and even 5.1.2

PERFECT SYNC

All speakers in the system are certified to be synchronised within 1/1,000,000 of a second even when using all eight channels.

NEARLY ZERO LATENCY

Less than 1/10th the latency of a Bluetooth audio device means no visible lip sync.

2X AUDIO QUALITY

WiSA transmits 24bits at 48kHz/96kHz, that's twice the quality of CD audio.






(OPTIONAL BOLT-ON)

Our WiSA Bolt-On Module adds wireless Dolby Atmos, high-quality Audio with no visible lipsync to our Pro Series Ceiling Speakers, perfect for fully kitted out cable-free surround sound home cinemas and beginner AV home setups.

Works with Lithe Audio Pro Series Ceiling speaker (Sold Separately)






CREATE AN IN-CEILING 5.1 OR 7.1 SURROUND SOUND SYSTEM

Wirelessly connect the Pro Series Wi-Fi Ceiling Speakers to your SoundSend and configure your front, centre, rear and surround setup via the easy to use SoundSend My Zone App. Create a home cinema without wires and save space with speakers embedded into your ceiling.

Combine 3 front channel ceiling speakers, left and right surrounds, 2 rear speakers and a subwoofer for a 7.1 home cinema audio setup that will fully immerse you.

DISCOVER MORE SURROUND SETUPS: LITHEAUDIO.COM/WHAT-IS-WISA






😨 PoE ++

POE POWER DELIVERY FOR CONVENIENCE OF INSTALLATION AND CONTROL

Power directly from the network cabling infrastructure the all-in-one Pro Series uses the latest standard: IEEE 802.3bt to deliver up to 70W of power to each speaker.








Features	Speaker Spec	Connectivity
Wireless & Wired Connection Works in both the 5GHz and 2.4GHz Wi-Fi spectrum or can be hardwired via ethernet cable for a hardwired data connection	Sound Quality THD+N<0.009%, 55Hz-20kHz (+/- 3dB)	Wi-Fi certified 2.4Ghz / 5Ghz (802.11a/b/g/n/ac)
	RMS Power: 60W RMS (2x 30W)	Apple AirPlay 2 certified
	Impedance: 8 Ohms nominal	Google Cast certified
All-In-One System Amplifier & comprehensive connectivity options all built-in, just add power from your lighting circuit or simply plug in to socket	Sensitivity (1W/1m): 90dB	Works with Alexa
	Line In (Optical), auto-detecting	Spotify connect
High Res Audio 192kHz / 24 bits delivers superb sound quality with pin-sharp clarity	Type: Class D (Digital)	Bluetooth
	Audio Compression: 192Khz/24bits	Ethernet Connection In / Out
Built-In AirPlay 2, Google Fully Apple certified, stream any audio source directly to the speaker	Woofer: 6.5" Woven Glass Fibre cone /	DLNA/uPnP connections
	Polypropylene Cone (IP44)	Access digital music storage using NAS drive
Expandable Hardware	Tweeter: 0.75" Titanium Cone	Works with HomeKit & Siri
Designed to grow as new technologies emerge and evolve the	Power Input Supply : 100 - 240V, 50/60Hz / 2A	SDDP
interchangeable hardware is upgradeable to ensure your system is at the forefront of audio connectivity	Transformer Output Supply : DC24V / 2.5A	
Power via PoE++ or power circuit or plug.	Operating Temperature 0° to 40° C (32° to 104° F)	What's in the box
	Storage Temperature -20° to 70° C (4° to 158° F)	Pro Series Bluetooth & Wi-Fi Ceiling Speaker
	Standby power: 1.3W / 0.02A	Power cord
	Connected power: 1.5W / 0.03A	Instruction manual
	Playing Music: 2.8W - 10.5W / 0.03A - 0.09A**	
SKU Codes		
06500 Pro Wi-Fi Ceiling Speaker (Single)	06514 Pro Wi-Fi Ceiling Speaker With PoE (Single)	06512 Pro Ceiling Speaker (1 Pair) & 1 WiSA Module (Atmos .2 kit)
06510 Pro Wi-Fi Ceiling Speaker (Pair)	06515 Pro Wi-Fi Ceiling Speaker With PoE (Pair)	06513 Pro Ceiling Speaker (2 Pairs) & 2 WiSA Modules (Atmos 🎽
06501 Pro IP44 Bathroom Wi-Fi (Single)	06520 PoE Adaptor Module	
06511 Pro IP44 Bathroom Wi-Fi (Pair)	06521 WiSA Module Bolt on	S Internal S
	06530 WiSA Sound Send Transmitter	
Visit our w	litheaudio.com/pro-series	「「「「「「「「「「「「」」」」「「「」」「「」」」「「」」」」「「」」」」」「「」」」」







MULTI-BRAND. MULTI-ROOM.









WIFI MULTI-ROOM CEILING SPEAKER



MULTI-ROOM AUDIO

Our All-In-One Multi-Room Wi-Fi Ceiling Speakers combine an amplifier, wi-fi receiver, and a high-quality speaker to offer you the absolute all-in-one wireless system. AirPlay 2 certified and the perfect addition to a HomeKit setup.



Apple AirPlay









• works with Ok Google







Features

SKU Codes

06600 Wi-Fi Ceiling Speaker (Single)

06610 Wi-Fi Ceiling Speaker (Pair) 06601 IP44 Bathroom Wi-Fi (Single) 06611 IP44 Bathroom Wi-Fi (Pair)

Multi-Room Audio Seamlessly stream high quality audio from your phone

All-In-One System Amplifier & comprehensive connectivity options all built-in, just add power from your lighting circuit or simply plug in to socket

Stream Via AirPlay 2, Chromecast or Bluetooth Stream music directly from your Smart Phone / Tablet using Bluetooth or control multiple rooms at the same time with AirPlay 2 and Chromecast.

Amplifier Built-In Powerful 60W RMS Class D amplifier

RCA Input Hardwire a turntable, PC or your old iPod

Lithe Audio App Rename, zone and adjust speakers in our intuitive app on Android and IOS

High Quality Audio Delivering superb sound quality with pin sharp clarity

Speaker Spec

Sound Quality THD+N<0.009%, 65Hz-20kHz (+/- 3dB) RMS Power: 60W RMS Impedance: 8 Ohms nominal Sensitivity (1W/1m): 90dB Digital Class D Amplifier Audio Sample Rate: 8Khz Woofer: 6.5" Woven Glass Fibre cone / Polypropylene Cone (IP44) Tweeter: 0.75" Titanium Cone Transformer Output Supply : DC24V / 2.5A IP rating: IP44 (Bathroom models only) Operating Temperature 0° to 40° C (32° to 104° F) Storage Temperature -20° to 70° C (4° to 158° F)

Connectivity

App control via IOS or Android, full control with easy drag and drop zoning Access digital music storage using NAS drive (Networked Hard Drive). Connect to existing WiFi 2.4Ghz

- Apple AirPlay 2 certified
- Chromecast built-in
- Bluetooth
- Works with Ok Google
- DLNA/uPnP connections
- Line in (RCA input)
- Wi-Fi Certified 2.4Ghz (802.11b/g/n)

What's in the box

- Wi-Fi Ceiling Speaker
- Power Supply
- Cutting template
- Instruction manual

Dia

ITHEAUDIC

litheaudio.com/wi-fi

Visit our website or open your phone's camera and scan the QR code to visit our product page





WIRELESS MICRO SUB WOOFER



MICRO SUB. MIGHTY BASS.TM

Big impact from a compact sub woofer, this Sub is equipped with Chomecast and Alexa. Connect wirelessly to your Lithe Audio multi-room audio system or other compatible setups and add the bass to your music.





works with alexa











Features

Plug And Play

Quick and easy setup, plug in and sync to home Wi-Fi network and group Lithe or other brand speakers and play.

Wireless Connectivity

Position the micro sub in the corner of a room or behind the sofa or under the bed. Being wireless you can setup anywhere without the restrictions of speaker cables.

Works With Any Apple or Android Device Fully compatible with IOS and Android devices for streaming

Ethernet Hardwired Connection

Data in and Data out for streamlined cable management and a rock solid data connection.

App Based DSP

your music.

Full control over the crossover frequency, phase, volume, gain, low pass filter, high pass filter and speaker profile presets for fast easy setup.

High Quality Audio

ends high power with 1x active and 2x radiator 4" drivers to fill the room with detailed and immersive bass with ease

Speaker Spec

Sound quality THD+N<0.009% Frequency response: 40Hz-200Hz @ -10dB RMS power: 70W RMS @ 4 Ohm load Sensitivity (1W/1m): 90dB Type: Class D (Digital) Audio compression: 192Khz/24bits Integrated DSP /EQ Woofer: 4" Polypropylene driver 4" Passive radiator x 2

Connectivity

Access digital music storage using NAS drive (Networked Hard Drive) Chromecast built-in Works with OK Google Works with Alexa DLNA/uPnP connections Wi-Fi certified 2.4Ghz / 5Ghz (802.11a/b/g/n/ac) SDDP

What's in the box

Wireless Micro Sub Woofer

Power cord

Instruction manual



ITHEAUDIC

litheaudio.com/subwoofer

Visit our website or open your phone's camera and scan the QR code to visit our product page


SKU Codes 01675 - UK Plug

01675EU - EU Plug

01675US - US Plug


01675AU - AU Plug

Bluetooth[®] 5.0



Into The Deep

Oscar ft. Dusty 😂







CEILING SPEAKER

POWER IT. SYNC IT. PLAY IT. TM

Our All-in-one Wireless Bluetooth 5 Ceiling Speakers empower you to play Apple Music, Amazon Music, Spotify or any other audio streaming service from your phone. We combine an Amplifier, Bluetooth Receiver, and a High-Quality Speaker, to offer you the ideal All-in-one Solution for your property.
















BUILD

019 Design and uild Awards ew



CEILING SPEAKERS MADE EASY

ALL-IN-ONE SOLUTION

Amplifier & Bluetooth built-in, so all you need is power, which you can choose to connect via your lighting circuit or a plug

30M WIRELESS RANGE

Latest Bluetooth 5.0 technology built-in, giving you a wider range and stronger connection

AMPLIFIER BUILT-IN

Powerful 50W RMS Class D amplifier attached to the back of the speaker

VOICE CONTROL

Fully compatible with Amazon Echo and Google Home devices

CONNECT TO YOUR TV


Low latency quality audio with aptX technology, giving you impressive sound from discreet speakers

PERFECT FOR ANY SINGLE ROOM SOLUTION

Designed by Lithe Audio's team of specialist home electronic product designers, the frameless speakers only protrude 3mm from the ceiling, and have clever magnetic grille covers which can easily be removed for cleaning or for replacement with a different coloured grill finish. The grille can alternatively be painted with ceiling paint to create a virtually invisible look to these high performance speakers.

The Lithe Audio range is ideal for consumers/DIY enthusiasts, builders, developers, interior designers, commercial property developers and hotels.

KITCHENS BATHROOMS NEW BUILDS RENOVATIONS HOTELS APARTMENTS RETAIL ELECTRICAL LODGES BEDROOMS MEETING ROOMS HOSPITALS GARDENS SHOPS RESTAURANTS OFFICES MODULAR HOMES VILLAS



LITHE-LINKTM CONNECT UP TO SIX SPEAKERS

For larger or open plan rooms the Lithe-link feature will allow you to connect up to 3 master speakers and their passive/slaves and play audio from all the speakers at once.

Depending on which master speaker you connect to and how the speakers are wired will then determine how many speakers will play.

FREE AUDIO CONSULTATION: LITHEAUDIO.COM/ AUDIO-CONSULTATION

We're more than happy to help and advise on your speaker placement and product choice.



IDEAL FOR BATHROOMS.

Our All-in-one Wireless IP44 Bluetooth 5 Ceiling Speakers allow you to play Apple Music, Amazon Music, Spotify or any other audio streaming service from your phone. We combine an Amplifier, Bluetooth Receiver, and a High-Quality Speaker, to offer you the ideal All-in-one Solution for your property.







ok Google



INE-IN



SPECIFICATIONS / FEATURES DIMENSIONS CONNECT √□.| **CONNECT SECOND** POWERVIA SPEAKER WITH THE LIGHTING SPEAKER CABLE CIRCUIT OR _____ SIMPLY PLUG IN **VOICE CONTROL** WITH AMAZON ALEXA & **GOOGLE HOME ⊲**©I AR **HARDWIRE ANY** WIRELESS 1 -NON-BLUETOOTH CONNECT A TV OR ANY OPEN YOUR PHONE **DEVICE VIA THE BLUETOOTH DEVICE** CAMERA & SCAN **RCA INPUT** THE QR CODE FOR AUGMENTED REALITY **8 Bluetooth മത്താ**ല Qualcomm' apt) iOS 13+, iPADOS 13+ or An

Features	Speaker Spec	Connectivity
30m Wireless Range Latest Bluetooth 5.0 technology built-in	Sound Quality THD+N<0.009%, 55Hz-20kHz (+/- 3dB)	Bluetooth 5.0 (30m range)
	RMS Power: 50W RMS	Works with Ok Google
All-In-One Solution Amplifier & Bluetooth built-in, so all you need is power	Impedance: 8 Ohms nominal	Works with Alexa
30m Wireless Range Latest Bluetooth 5.0 technology built-in	Sensitivity (1VV/1m): 90dB	Line in (RCA input)
	Digital Class D Amplifier	Qualcomm aptX Low Latency
Amplifier Built-In Powerful 50w rms class d amplifier	Audio Sample Rate: 8Khz	Bluetooth Setup App for Android and IOS
Voice Control With Alexa Or Google Fully compatible with amazon echo and google home devices	Woofer: 6.5" Woven Glass Fibre cone / Polypropylene Cone (IP44)	
Connect To Your TV Via Bluetooth Low latency quality audio with aptx technology	Tweeter: 0.75" Titanium Cone	
	Transformer Output Supply : DC24V / 2.5A	
RCA Input Hardwire a turntable, pc or your old iPod	IP rating: IP44 (Bathroom models only)	
Rename Each Speaker Use the lithe setup app to configure your speakers	Operating Temperature 0° to 40° C (32° to 104° F)	
	Storage Temperature -20° to 70° C (4° to 158° F)	What's in the box

High-Quality Audio Delivering superb sound quality with pin sharp clarity

03200 Bluetooth Ceiling Speaker (Single)

SKU Codes

03201 Bluetooth Ceiling Speaker (Pair)

03210 IP44 Bathroom Bluetooth (Single) 03211 IP44 Bathroom Bluetooth (Pair)

01690 Bluetooth 4 Speaker 1 Zone Kit (2 Masters, 2 Passives & Link Cables) 01691 Bluetooth 6 Speaker 1 Zone Kit (3 Masters, 3 Passives & Link Cables)

ň

litheaudio.com/bluetooth

Visit our website or open your phone's camera and scan the QR code to visit our product page

What's in the box

- Bluetooth Ceiling Speaker Power Supply Cutting template
- Instruction manual



LITHEAUDIC



SUPERB AUDIO COVERAGE

To fill the room with sound, choose our passive ceiling speaker models for superb audio coverage.

If you want the perfect audio solution for a large space, our 2-way passive speaker will provide the ultimate accessory for your existing Bluetooth ceiling speaker.

Easy to fit, and even easier to blend with your decor, our speakers deliver high quality audio for your home.







6.5" 2-Way Ceiling Speaker

01556 (Single) 01555 (Pair)



6.5" 2-Way IP44 Ceiling Speaker

01556 (Single) 01555 (Pair)





6.5" Low Profile Passive Ceiling Speaker

01568 (Single)





3" Spot Ceiling Speaker

01553 (Single)





6.5" Stereo Ceiling Speaker

01554 (Single)



Speaker Spec

Woofer: 6.5" Woven Glass Fibre Cone Tweeter: 0.75" Titanium Dome Impedance: 8 Ohms Sound Quality 55Hz-20kHZ Sensitivity (1W/1m): 90dB Dimensions: (W x D) 227 x 87 mm Cut Out Diameter: 210 mm Mounting Depth: 87 mm

Speaker Spec

Woofer: 6.5" Polypropylene Cone Tweeter: 0.75" Titanium Dome Impedance: 8 Ohms Sound Quality 55Hz-20kHZ Sensitivity (1W/1m): 90dB Dimensions: (W x D) 227 x 87 mm Cut Out Diameter: 210 mm Mounting Depth: 87 mm

Speaker Spec

Woofer: 6.5" Polypropylene Cone Tweeter: 0.75" Titanium Dome Impedance: 8 Ohms Sound Quality 77Hz-20kHZ Sensitivity (1W/1m): 90dB Dimensions: (W × D) 230 × 67 mm Cut Out Diameter: 210 mm Mounting Depth: 67 mm

Speaker Spec

Woofer: 3" Woven Glass Fibre Cone Tweeter: 0.75" Mylar Dome Impedance: 8 Ohms Sound Quality 130Hz-20kHZ Sensitivity (1W/1m): 90dB Dimensions: (W × D) 116 × 58 mm Cut Out Diameter: 100 mm Mounting Depth: 60 mm

Speaker Spec

Woofer: 6.5" Woven Glass Fibre Cone Dual Tweeters: 0.75" Titanium Domes Impedance: 8 + 8 Ohms Sound Quality 55Hz-20kHZ Sensitivity (1W/1m): 90dB Dimensions: (W × D) 227 × 87 mm Cut Out Diameter: 210 mm Mounting Depth: 87 mm



litheaudio.com/passive

Visit our website or open your phone's camera and scan the QR code to visit our product page

FIRE AND ACOUSTIC

SPEAKER HOODS



IMPROVED ACOUSTICS

Our fire and acoustic speaker hoods offer air-tight protection to comply with latest IEE and Building UK Regulations for Fire and Acoustic integrity of ceilings. Designed to house our ceiling speaker units, these hoods comprise a double-skin of intumescent fabric to provide the perfect fire safety and audio solution. Easy to fit and designed to blend in with your ceiling, these products enhance your sound for your intended rooms and dampen sound for rooms above. They are a must-have for maintaining high audio quality and the fire rating of your home or business.

Lithe Audio Speaker Fire Hood 250

01582



Lithe Audio Premium Speaker Fire Hood 270

01584





Speaker Spec

Locking Grips Built into Speaker Hood Integrated Speaker Cable Outlet Delivers 1 Hour Fire Protection Quick and Easy Installation Max Speaker Size of 360mm X 170mm (H)

Speaker Spec

Internal Depth 150mm Internal Diameter 310mm Aperture Diameter (Diameter to Seam) 190mm (240mm) External Depth 160mm External Diameter 340mm Weight 200g

ACCESSORIES

& SPARES






LITHEAUDIC

litheaudio.com/spares-and-accessories

Visit our website or open your phone's camera and scan the QR code to visit our product page



PLACE IT. PLUG IT. ROCK IT.™

This unique outdoor entertainment hack is the must-have audio solution for listening to music outdoors. Shaped like a rock, these speakers are designed to fit in seamlessly with the rest of your garden. Completely weatherproof, these units deliver superbly rich audio all year round, and are the ultimate garden accessory.














Features

Easy Installation Plug Into Outdoor Socket lust

Bluetooth Receive And Speaker All In One Audio Solu

65hz-20khz Speaker Range Powerful Bass And Crisp Treble

Sleek Design Blends Perfectly With Your Exterior

Voice Control Connect To Your Google Or Alexa Devices For Hands-free

Wireless Range Up To 10 Metres Control Your Tunes From Another Room

Speaker Spec Sound Quality THD+N 0.009%, 65Hz-20kHZ RMS Power: 60W RMS Impedance: 8 Ohms nominal Sensitivity (1W/1m): 90dB Digital Class D Amplifier Audio Sample Rate: 8Khz Woofer: 6.5" Polypropylene Cone Tweeter: 1.2" Mylar Cone IP68 Outdoor Transformer Unit Weather-Proof IP56 Fibreglass Housing Stone Colour Finish Weight: 6.8kg Power Supply: DC24V / 2.5A Dimensions: (W \times D) 320 \times 320 \times 270 mm Operating Temperature: -20° to 85° C Limited Warranty: 2 Year



Works with any Bluetooth v4.0 device Works with Google and Alexa devices Wireless Range: Up to 10 metres Output for additional Passive slave speaker

Connectivity

What's in the box

Bluetooth Garden Rock Speaker

Power Supply

- Cutting template
- Instruction manual

SKU Codes

Bluetooth

01620 Lithe Audio Bluetooth Garden Rock Speaker (Single)

01622 Lithe Audio Bluetooth & Passive Garden Rock Speakers (Pair)

Passive

01621 Lithe Audio Passive Garden Rock Speaker (Single) 01623 Lithe Audio Passive Garden Rock Speakers (Pair)

01640 Lithe Audio 5M Power Cable Extension For Garden

01643 Lithe Audio 10M Speaker Cable Extension For Gard



litheaudio.com/garden-speakers

Visit our website or open your phone's camera and scan the QR code to visit our product page

LITHEAUDI

FIND A LOCAL PRO INSTALLER

We train and work with installers all over the world so that our customers have the best experience with our products.

If you would like to find a Pro Installer local to you, go to our website and visit the where to buy page. We'll provide you with a list of installers within your area.

FIND YOUR LOCAL LITHE PRO INSTALLER

FREE SPEAKER PLACEMENT SERVICE


1.75 W

Not sure which of our speaker ranges to choose from, or just struggling to work out how to get the best sound through strategic speaker placement?

Our product experts will annotate your project plans with recommendations of how many speakers per room and where to position them for the best acoustics.

LITHEAUDIO.COM/ SPEAKER-PLACEMENT

LITHEAUDI www.litheaudio.com



www.litheaudio.com I sales@litheaudio.com I Tel : +44 (0) 1293 922 015